FEDERAL ENERGY REGULATORY COMMISSION

OMB Control 1902-007£ Expiration 05/31/2016

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power SERVICE COMMISSION

General

7015 HAN -4 P 12: 36

Questions about completing this form should be sent to Form556@ferc.gov. Information about the Commission's QF program, answers to frequently asked questions about QF requirements or completing this form, and contact information for QF program staff are available at the Commission's QF website, www.ferc.gov/QF. The Commission's QF website also provides links to the Commission's QF regulations (18 C.F.R. § 131.80 and Part 292), as well as other statutes and orders pertaining to the Commission's QF program.

Who Must File

Any applicant seeking QF status or recertification of QF status for a generating facility with a net power production capacity (as determined in lines 7a through 7g below) greater than 1000 kW must file a self-certification or an application for Commission certification of QF status, which includes a properly completed Form 556. Any applicant seeking QF status for a generating facility with a net power production capacity 1000 kW or less is exempt from the certification requirement, and is therefore not required to complete or file a Form 556. See18 C.F.R. § 292.203.

How to Complete the Form 556

This form is intended to be completed by responding to the items in the order they are presented, according to the instructions given. If you need to back-track, you may need to clear certain responses before you will be allowed to change other responses made previously in the form. If you experience problems, click on the nearest help button () for assistance, or contact Commission staff at Form556@ferc.gov.

Certain lines in this form will be automatically calculated based on responses to previous lines, with the relevant formulas shown. You must respond to all of the previous lines within a section before the results of an automatically calculated field will be displayed. If you disagree with the results of any automatic calculation on this form, contact Commission staff at Form556@ferc.govto discuss the discrepancy before filing.

You must complete all lines in this form unless instructed otherwise. Do not alter this form or save this form in a different format. Incomplete or altered forms, or forms saved in formats other than PDF, will be rejected.

How to File a Completed Form 556

Applicants are required to file their Form 556 electronically through the Commission's eFiling website (see instructions on page 2). By filing electronically, you will reduce your filing burden, save paper resources, save postage or courier charges, help keep Commission expenses to a minimum, and receive a much faster confirmation (via an email containing the docket number assigned to your facility) that the Commission has received your filing.

If you are simultaneously filing both a waiver request and a Form 556 as part of an application for Commission certification, see the "Waiver Requests" section on page 3 for more information on how to file.

Paperwork Reduction Act Notice

This form is approved by the Office of Management and Budget. Compliance with the information requirements established by the FERC Form No. 556 is required to obtain or maintain status as a QF. See 18 C.F.R. § 131.80 and Part 292. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The estimated burden for completing the FERC Form No. 556, including gathering and reporting information, is as follows: 3 hours for self-certification of a small power production facility, 8 hours for self-certifications of a cogeneration facility, 6 hours for an application for Commission certification of a small power production facility, and 50 hours for an application for Commission certification of a cogeneration facility. Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the following: Information Clearance Officer, Office of the Executive Director (ED-32), Federal Energy Regulatory Commission, 888 First Street N.E., Washington, DC 20426 (DataClearance@ferc.gov); and Desk Officer for FERC, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503 (oira_submission@omb.eop.gov). Include the Control No. 1902-0075 in any correspondence.

Electronic Filing (eFiling)

To electronically file your Form 556, visit the Commission's QF website at www.ferc.gov/QFand click the eFiling link.

If you are eFiling your first document, you will need to register with your name, email address, mailing address, and phone number. If you are registering on behalf of an employer, then you will also need to provide the employer name, alternate contact name, alternate contact phone number and and alternate contact email.

Once you are registered, log in to eFiling with your registered email address and the password that you created at registration. Follow the instructions. When prompted, select one of the following QF-related filing types, as appropriate, from the Electric or General filing category.

Filing category	Filing Type as listed in eFiling	Description
	(Fee) Application for Commission Cert. as Cogeneration QF	Use to submit an application for Commission certification or Commission recertification of a cogeneration facility as a QF.
	·(Fee) Application for Commission Cert. as Small Power QF	Use to submit an application for Commission certification or Commission recertification of a small power production facility as a QF.
	Self-Certification Notice (QF, EG, FC)	Use to submit a notice of self- certification of your facility (cogeneration or small power production) as a QF.
Electric	Self-Recertification of Qualifying Facility (QF)	Use to submit a notice of self- recertification of your facility (cogeneration or small power production) as a QF.
	Supplemental Information or Request	Use to correct or supplement a Form 556 that was submitted with errors or omissions, or for which Commission staff has requested additional information. Do <i>not</i> use this filing type to report new changes to a facility or its ownership; rather, use a self-recertification or Commission recertification to report such changes.
General	(Fee) Petition for Declaratory Order (not under FPA Part 1)	Use to submit a petition for declaratory order granting a waiver of Commission QF regulations pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205 (c). A Form 556 is not required for a petition for declaratory order unless Commission recertification is being requested as part of the petition.

You will be prompted to submit your filing fee, if applicable, during the electronic submission process. Filing fees can be paid via electronic bank account debit or credit card.

During the eFiling process, you will be prompted to select your file(s) for upload from your computer.

FERC Form Page 3- Instructions

Filing Fee

No filing fee is required if you are submitting a self-certification or self-recertification of your facility as a QF pursuant to

C.F.R. § 292.207(a).

A filing fee is required if you are filing either of the following:

- (1) an application for Commission certification or recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(b), or
- (2) a petition for declaratory order granting waiver pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205(c).

The current fees for applications for Commission certifications and petitions for declaratory order can be found by visiting the Commission's QF website at www.ferc.gov/QFand clicking the Fee Schedule link.

You will be prompted to submit your filing fee, if applicable, during the electronic filing process described on page 2.

Required Notice to Utilities and State Regulatory Authorities

Pursuant to 18 C.F.R. § 292.207(a)(ii), you must provide a copy of your self-certification or request for Commission certification to the utilities with which the facility will interconnect and/or transact, as well as to the State regulatory authorities of the states in which your facility and those utilities reside. Links to information about the regulatory authorities in various states can be found by visiting the Commission's QF website at www.ferc.gov/QFand clicking the Notice Requirements link.

What to Expect From the Commission After You File

An applicant filing a Form 556 electronically will receive an email message acknowledging receipt of the filing and showing the docket number assigned to the filing. Such email is typically sent within one business day, but may be delayed pending confirmation by the Secretary of the Commission of the contents of the filing.

An applicant submitting a self-certification of QF status should expect to receive no documents from the Commission, other than the electronic acknowledgement of receipt described above. Consistent with its name, a self-certification is a certification by the applicant itself that the facility meets the relevant requirements for QF status, and does not involve a determination by the Commission as to the status of the facility. An acknowledgement of receipt of a self-certification, in particular, does not represent a determination by the Commission with regard to the QF status of the facility. An applicant self-certifying may, however, receive a rejection, revocation or deficiency letter if its application is found, during periodic compliance reviews, not to comply with the relevant requirements.

An applicant submitting a request for Commission certification will receive an order either granting or denying certification of QF status, or a letter requesting additional information or rejecting the application. Pursuant to 18 C.F.R. § 292.207(b)(3), the Commission must act on an application for Commission certification within 90 days of the later of the filling date of the application or the filling date of a supplement, amendment or other change to the application.

Waiver Requests

18 C.F.R. § 292.204(a)(3) allows an applicant to request a waiver to modify the method of calculation pursuant to 18 C.F.R. §

292.204(a)(2) to determine if two facilities are considered to be located at the same site, for good cause. 18 C.F.R. § 292.205(c) allows an applicant to request waiver of the requirements of 18 C.F.R. §§ 292.205(a) and (b) for operating and efficiency upon a showing that the facility will produce significant energy savings. A request for waiver of these requirements must be submitted as a petition for declaratory order, with the appropriate filing fee for a petition for declaratory order. Applicants requesting Commission recertification as part of a request for waiver of one of these requirements should electronically submit their completed Form 556 along with their petition for declaratory order, rather than filing their Form 556 as a separate request for Commission recertification. Only the filing fee for the petition for declaratory order must be paid to cover both the waiver request and the request for recertification if such requests are made simultaneously.

18 C.F.R. § 292.203(d)(2) allows an applicant to request a waiver of the Form 556 filing requirements, for good cause. Applicants filing a petition for declaratory order requesting a waiver under 18 C.F.R. § 292.203(d)(2) do not need to complete or submit a Form 556 with their petition.

FERC Form Page 4- Instructions

Geographic Coordinates

If a street address does not exist for your facility, then line 3c of the Form 556 requires you to report your facility's geographic coordinates (latitude and longitude). Geographic coordinates may be obtained from several different sources. You can find links to online services that show latitude and longitude coordinates on online maps by visiting the Commission's QF webpage at www.ferc.gov/QFand clicking the Geographic Coordinates link. You may also be able to obtain your geographic coordinates from a GPS device, Google Earth (available free at http://earth.google.com), a property survey, various engineering or construction drawings, a property deed, or a municipal or county map showing property lines.

Filing Privileged Data or Critical Energy Infrastructure Information in a Form 556

The Commission's regulations provide procedures for applicants to either (1) request that any information submitted with a Form 556 be given privileged treatment because the information is exempt from the mandatory public disclosure requirements of the Freedom of Information Act, 5 U.S.C. § 552, and should be withheld from public disclosure; or (2) identify any documents containing critical energy infrastructure information (CEII) as defined in 18 C.F.R. § 388.113 that should not be made public.

If you are seeking privileged treatment or CEII status for any data in your Form 556, then you must follow the procedures in 18 C.F.R. § 388.112. See www.ferc.gov/help/filing-guide/file-ceii.aspfor more information.

Among other things (see 18 C.F.R. § 388.112 for other requirements), applicants seeking privileged treatment or CEII status for data submitted in a Form 556 must prepare and file both (1), a complete version of the Form 556 (containing the privileged and/or CEII data), and (2) a public version of the Form 556 (with the privileged and/or CEII data) redacted). Applicants preparing and filing these different versions of their Form 556 must

Non-Public: Applicant is seeking privileged treatment and/or CEII status for any of your Form 556 data, then you

Non-Public: Applicant is seeking privileged treatment and/or CEII status for data contain the Form 556 lines
indicated below. This non-public version of the applicant's Form 556 contains all data, including the data that is redacted in the (separate) public version of the applicant's Form 556.

readers at the territory parameters are approximately
Public (redacted): Applicant is seeking privileged treatment and/or CEII status for data containted Form 556 lines indicated below. This public version of the applicants's Form 556 contains all data exceptfor data from the lines indicated below, which has been redacted.
Privileged: Indicate below which lines of your form contain data for which you are seeking privileged treatment
Critical Energy Infrastructure Information (CEII): Indicate below which lines of your form contain data for which you are seeking CEII status

The eFiling process described on page 2 will allow you to identify which versions of the electronic documents you submit are public, privileged and/or CEII. The filenames for such documents should begin with "Public", "Priv", or "CEII", as applicable, to clearly indicate the security designation of the file. Both versions of the Form 556 should be unaltered PDF copies of the Form 556, as available for download from www.ferc.gov/QF. To redact data from the public copy of the submittal, simply omit the relevant data from the Form. For numerical fields, leave the redacted fields blank. For text fields, complete as much of the field as possible, and replace the redacted portions of the field with the word "REDACTED" in brackets. Be sure to identify above all fields which contain data for which you are seeking non-public status.

The Commission is not responsible for detecting or correcting filer errors, including those errors related to security designation. If your documents contain sensitive information, make sure they are filed using the proper security

FEDERAL ENERGY REGULATORY COMMISSION

OMB Control 1902-0075 Expiration 5/31/2013

Form

Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

	1a Full name of applica Escalante Solar	ant (legal entity on whose behalf qu I, LLC	ialifying facility s	tatus is sought for this facility)			
	1b Applicant street address c/o SunEdison, Inc. 179 Lincoln Street, Suite 500						
-	1c City		1d State/prov	vince			
	Boston		MA				
	1e Postal code 02111	1fCountry (if not United States)		1gTelephone number 617.690.2888			
	1h Has the instant facil	lity ever previously been certified a	s a QFYes💌 N	No 🗌			
	11 If yes, provide the do	ocket number of the last known QF	filing pertaining	to this facilityQ 14 - 789 - 000			
•	1j Under which certifica	ation process is the applicant maki	ng this filing?				
	Notice of self-certification (see note below)	fication $\Box_{\mathbf{f}}$	Application for C iling fee; see "Fi	ommission certification (requires ling Fee" section on page 3)			
-	Note: a notice of self-certification is a notice by the applicant itself that its facility complies with the requirements for QF status. A notice of self-certification does not establish a proceeding, and the Commission does not review a notice of self-certification to verify compliance. See the "What to Expect From the Commission After You File" section on page 3 for more information.						
	1k What type(s) of QF status is the applicant seeking for its facility? (check all that apply) Qualifying small power production facility Qualifying cogeneration facility status						
	Status 11 What is the purpose and expected effective date(s) of this filing? Original certification; facility expected to be installed and to begin operation on						
	Name change and/or other administrative change (s) Change in ownership Change(s) affecting plant equipment, fuel use, power production capacity and/or cogeneration thermal output Supplement or correction to a previous filing submitted						
	(describe the supplement or correction in the Miscellaneous section starting on page 19)						
	1m If any of the following three statements is true, check the box(es) that describe your situation and complete the form to the extent possible, explaining any special circumstances in the Miscellaneous section starting on						
	page 19 instant facility complies with the Commission's QF requirements by virtue of a waiver of certain regulations previously granted by theißammideiodated (specify any other relevant waiver orders in the Miscellaneous section starting on page 19)						
		ty would comply with the Commiss n this application is granted	ion's QF require	ments if a petition for waiver submitted			
	the employment	of unique or innovative technologie	es not contempla	has special circumstances, such as ated by the structure of this form, that தூழ்த்த in Misc. section starting on p.			

	2a Name of contact person Rob Robertson	2b Telephone number 617-960-9509						
	2c Which of the following describes the contact person's relationship to the applicant? (check one)							
ıtion	Applicant Employee, owner or partner of applicant authorized to represent the applicant							
	Employee of a company affiliated with the applicant aut	,						
ma	Lawyer, consultant, or other representative authorized to							
nfor	2d Company or organization name (if applicant is an individu SunEdison, Inc.	al, check here and skip to						
Contact Information	2e Street address (if same as Applicant, check here and skip	o to 🗷						
)or								
	2f City	g State/province						
	2h Postal code 2iCountry (if not United S	tates)						
u	3a Facility name							
ocatio	Escalante Solar I Plant							
	3b Street address (if a street address does not exist for the facility, check here and skip to							
d L	7100 North 1400 West Milford, UT 84751							
dentification and Location	3c Geographic coordinates: If you indicated that no street address exists for your facility by checking the box in line 3b, then you must specify the latitude and longitude coordinates of the facility in degrees (to three decimal places). Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 4 for help. If you provided a street address for your facility in line 3b, then specifying the geographic coordinates below is optional.							
lent	Longitude East (+) 113.034 degrees	Latitude North (+) 38.524 degrees						
	3d City (if unincorporated, check here and enter nearest Milford	3e State/province Utah						
Facility	3f County (or check here for independent	Country (if not United States)						
	Identify the electric utilities that are contemplated to transact v	vith the facility.						
ilities	4a Identify utility interconnecting with the facility Rocky Mountain Power, a Division of PacifiCorp							
ig Ut	4b Identify utilities providing wheeling service or check here	if x						
sactir	PacifiCorp							
Transacting Utilities	4d Identify utilities providing supplementary power, backup power, maintenance power, and/or interruptible power service Rocky Mountain Power, a Division of PacifiCorp							
1								

	Direct ownership as of effective date or operation date: Identify all direct owners of the facility holding at lea 10 percent equity interest. For each identified owner, also (1) indicate whether that owner is an electric utilities as defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or a holding company, as defined section 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)), and (2) for owners which are electric utilities or holding companies, provide the percentage of equity interest in the facility held that owner. If no direct owners hold at least 10 percent equity interest in the facility, then provide the require information for the two direct owners with the largest equity interest in the facility.						
	Full legal names of direct owners	Electric utility or holding company	If Yes, % equity interest				
	1) Escalante Solar I, LLC	Yes⋉ No 🗌	100%				
	2)	Yes∏ No ∏	등				
	3)	Yes No	8				
	4)	Yes No	용 				
	5)	Yes⊡ No □	* 				
	3)	Yes⊡ No □	o				
	7)	Yes No					
_	3)	Yes No	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
Itio	9)	Yes⊡ No ⊡					
e Ta	10	Yes⊡ No □	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
Operation	Check here continue in the Miscellaneous section starting on page 19 i	f additional space is	needed				
Ownership and	owners of the facility that both (1) hold at least 10 percent equity interest in the utilities, as defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(2) defined in section 1262(8) of the Public Utility Holding Company Act of 2005 (4 provide the percentage of equity interest in the facility held by such owners. (Nowners may be subsidiaries of one another, total percent equity interest report Check here if no such upstream owners. Full legal names of electric utility or holding company upstream or	2)), or holding comp 12 U.S.C. 16451(8)). Note that, because u ed may exceed 100	anies, as Also pstream				
	1) Four Brothers Holdings, LLC		100%				
	2) SUNE Wind Holdings, Inc.	•	100 %				
	3) SunEdison Wind Holdings, Inc.		100 %				
	4) SunEdison, Inc.		100%				
	5)		용				
	3)						
	7)	.					
	3)		 %				
	9)						
	10		 왕				
	Check here continue in the Miscellaneous section starting on page 19 if	additional space is	needed				
	Escalante Solar I, LLC						

	6a	Describe	the primary en	ergy input:	(check one	ma	in category	and, if app	olicable	, one su	bcategor	y)
		Bioma	ss (specify)			enev	wable reso	urces		☐ Geoth	nerma!	
			andfill gas		12		Hydro pow	er - river		່ Fossi ປ≲ກec		
		□ 1	Manure digeste	er gas			Hydro pow	er - tidal			Coal (not	waste)
			Municipal solid				Hydro pow	er - wave		_	Fuel oil/d	
		1 1	Sewage digeste as	er		×	Solar - pho	otovoltaic			Natural g waste)	as (not
		_	Nood 245 - 11				Solar - the	rmal			Other fos	sil fuel on page 19)
			Other piomass	describe on	page 19)						•	, - ,
		☐ Waste	(specify type b	oelow in line	6b)			wable resc on page 19		Other	(describe	on page 19)
	6b one		ecified "waste"	as the prim	ary energy	inpı	ıt in line 6a	ı, indicate t	he type	of wast	e fuel use	ed: (check
	Oik	‴ ∐ Wast	te fuel listed in	18 C.F.R. §	292.202(t	o) (sį	pecify one	of the follow	ving)			
			Anthracite cul	m produced	l prior to Ju	ıly 2	3, 1985					
	Anthracite refuse that has an average heat content of 6,000 Btu or less per pound and has an average ash content of 45 percent or more								l has an			
			Bituminous co an average as					ontent of 9,	500 Bt	u per po	und or le	ss and has
			Top or bottom determined to									
out			Management	(BLM) or th	at is locate	d on	non-Fede	ral or non-l	ndian k	ands ou	tside of B	LM's
<u>l</u>			jurisdiction, pr determined by	BLM to be	waste							
gy			Coal refuse probe by the BLM or									
Energy Input		Ы	provided that waste	applicant sh	nows that t	he la	itter is an e	extension o	f that de	etermine	ed by BLN	1 to be
Ш			Lignite produc					of montan	wax ar	nd lignite	that bec	omes
			Gaseous fuels	s (except na	itural gas a	and s	synthetic g	as from (de	escribe	on page	19)	
		_	Waste natural					escribe on				
			requirements necessary to							n your fil	ing any m	naterials
			Materials that combustion	-	ent agency	has	certified for	or disposal	by	(des	scribe on	page 19)
			Heat from exc	othermic	(desc	ribe	on page 1	9) [∃ Resi heat	idual t	(describ	e on page 19)
			reactions Used rubber tires		Plastic m	ater	ials	☐ Refine	y off-ga	as	☐ Petr	oleum coke
			r waste energy									
			fying facility inc uel's lack of co									
	6c		he average en									
			energy inputs, 3 C.F.R. § 292.									
		(m)).			Anr	ual a	average er	nergy	Per	centage	of total	
			Fue	el T			r specified	fuel	annı		gy input	
			Natural gas Oil-based fuel	e				O Btu/			0 %	
			Coal	3				O Btu/			0 %	
			OVA:					O Btu/	n		0 %	

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines.

7a The maximum gross power production capacity at the terminals of the individual generator (s) under the most favorable anticipated design conditions	80,000 W
7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power.	k 18
7c Electrical losses in interconnection transformers	k 237
7d Electrical losses in AC/DC conversion equipment, if any	k 136
7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection with the utility	k
7f Total deductions from gross power production capacity = 7b + 7c + 7d + 7e	k 391.0
7g Maximum net power production capacity = 7a - 7f	79,609.0

The Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

The Escalante I Solar Plant is located on an approximately 700 acre site near the Town of Milford, Beaver County, Utah. The facility will have a design output of 80.0 MWac. The system will consist of 360,000 solar photovoltaic (PV) panels manufactured by Yingli, with a nominal DC rating of 300 watts per panel and an aggregate nameplate capacity of approximately 108 MWdc/80 MWac. The panels will be erected on a single-axis tracker system, including controls and eighty, 1000 kWac inverters that will convert the output from direct current to alternating current. The panels will be configured in 18 module strings. The output from each inverter will be wired to a step-up padmount transformer. There will be 40 padmounted 34.5 kV/800 V step-up transformers the output of which will be collected in a 34.5 kV collector system. The output will then move into a 345/34.5 kV transformer, which then interconnects the facility to PacifiCorp's proposed 345 kV Sigurd - Red Butte #2 transmission line.

Information Required for Small Power Production

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip page 10.

	, .					1.00	
Φ		Pursuant to 18 C.F.R. § 292.204 together with the power production energy resource, are owned by the exceed 80 megawatts. To demonstrate the first size limits and the first size limits are seen to the first size limits. The first size limits are seen to the first size limits are seen to the first size limits are seen to the first size limits are size limits and the first size limits are size limits are size limits are size limits are size limits. The first size limits are size limits. The first size limits are size limit	on capaone same nstrate mitation 01-575, ugh 8e bottotte gant facili	city of any other person(s) of compliance with the Science of the	ner small power production facility its affiliates, and are located at the vith this size limitation, or to demolar, Wind, Waste, and Geotherm 34 (1990) as amended by Pub. L. elicable). Lipment located within 1 mile of the identified its significant and of the entities identified its significant in the significant	ies that use the same the same site, may not constrate that your al Power Production 102-46, 105 Stat. 249 the electrical in lines 5a or 5b, or	
plian	ons		Facility location (city or county, state)		ot docket# (if any)	Common owner(s)	Maximum net power production capacity
Certification of Compliance with Size Limitations		1)	Q	-		kW	
	īmi		2)	Q	<u>.</u>		kW
			3)	Q	_		kW
	Size		Check here continue in the	e Misce	ellaneous sec	tion starting on page 19 if addition	nal space is needed
	W		provides exemption from the size prior to 1995. Are you seeking e Incentives (Continue at line 8c below) 8c Was the original notice of se on or before December 31, 1996 8d Did construction of the facility 8e If you answered No in line 8 completion of the facility, taking in If you answered Yes, provide a beginning to the provide a beginning to the size of the facility to the facility of the facility to the facility of the facility of the facility to the facility of the f	If-certific No y comm	cation or app ence on or bute whether repunt all factor	Initations in 18 C.F.R. § 292 No (skip lines 8c through 8 lication for Commission certification for Commission certification for December 31, 1999@s easonable diligence was exercise are relevant to spatial for the Miscellaneous section in the Miscellaneous section	204(a) by virtue of the 3e) ion of the facility filed No ed toward the n starting on page 19 of
			the construction timeline (in parti certified) and the diligence exerc	ised tow	ard completi	on of the facility.	
	Fuel Use	ement	Pursuant to 18 C.F.R. § 292.204 minimal amounts, for only the fol alleviation or prevention of unant directly affecting the public health amount of fossil fuels used for th facility during the 12-month periodelendar year thereafter. 9a Certification of compliance w	lowing picipated s, safety ese pur d begin	ourposes: igr equipment of t, or welfare, poses may no ning with the	nition; start-up; testing; flame stabutages; and alleviation or preven which would result from electric pot exceed 25 percent of the total date the facility first produces ele	pilization; control use; ation of emergencies, power outages. The energy input of the ectric energy or any
<u>.</u>	th F	Reauir	🛽 Applicant certifies that the	facility	will use fossi	I fuels exclusivelyfor the purpose	s listed above.
cat	with	Re	9b Certification of compliance w				
ertifi			annually: Applicant certifies that the percent of the total energ facility first produces elec	,	i are recincy	adding the 12 month ponds bogs	gregate, exceed 25 ining with the date the

Information Required for Cogeneration

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

	Pursuant to 18 C.F.R. § 292.202(c), a cogeneration facility produces electric energy and forms of useful thermal energy (such as heat or steam) used for industrial, commercial, heating, or cooling purposes, through the sequential use of energy. Pursuant to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a topping-cycle cogeneration facility, the use of reject heat from a power production process in sufficient amounts in a thermal application or process to conform to the requirements of the operating standard contained in 18 C.F.R. § 292.205(a); or (2) for a bottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal application or process for power production.							
	1	ogeneration technology does the facility represent? (check all that apply)						
		e cogeneration						
	with other require and heat balance certain items and description of eac	rate the sequential operation of the cogeneration process, and to support compliance ments such as the operating and efficiency standards, include with your filing a mass diagram depicting average annual operating conditions. This diagram must include meet certain requirements, as described below. You must check next to the the requirement below to certify that you have complied with these requirements.						
ration	Check to certify compliance with indicated requirement	Requirement						
	reduitement	Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.						
General Cogeneration Information		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.						
ral Co Inforr		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.						
ene		Diagram must specify average gross electric output in kW or MW for each generator.						
O		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.						
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/(lb*R) or 4.195 kJ/(kg*K).						
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.						
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.						
	. Processor	Diagram must specify working fluid flow conditions at make-up water inputs.						

	EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.
	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005 No
	11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before Februáry 2006 [
Jse es	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.
iental Us Facilities	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?
ame In F	☐ Yes (continue at line 11d below)
nts for Fundamental Use Cogeneration Facilities	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.
	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration
ements rom C	requireresents? Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes.
EPAct 2005 Requirements of Energy Output from Co	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.
)5 F VO	11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?
st 2005 inergy	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.
EPAct of En	No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.
	11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205 (d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. §

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal generation plant losses and parasitic loads) expected to be used annually for industrial, commercial, residential or institutional purposes and not sold to an electric

11h Total amount of electrical, thermal, chemical and mechanical energy expected to be sold to an electric utility

11i Percentage of total annual energy output expected to be used for industrial, commercial, residential or institutional purposes and not sold to a utility

100 * 11g /(11g + 11h)

11] Is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test.

Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, example the regular part of the regular part o

Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. SeeOrder No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the relevant annual standard, taking into account expected variations in

Usefulness of Topping-Cycle Thermal Output

Information Required for Topping-Cycle Cogeneration

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292.202 (c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying topping-cycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below.

12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use in separate rows.

Average annual rate of

thermal output
attributable to use (net of
heat contained in
process return or make-

Name of entity (thermal host) taking thermal output

Thermal host's relationship to facility; Thermal host's use of thermal output

	taning the many and an		IIA WAIAH
1)		Select thermal host's relationship to facility	-
		Select thermal host's use of thermal output	Btu/h
2)		Select thermal host's relationship to facility	
2)		Select thermal host's use of thermal output	Btu/h
3)		Select thermal host's relationship to facility	
		Select thermal host's use of thermal output	Btu/h
4)		Select thermal host's relationship to facility	
		Select thermal host's use of thermal output	Btu/h
5)		Select thermal host's relationship to facility	
		Select thermal host's use of thermal output	Btu/h
6)		Select thermal host's relationship to facility	
·,		Select thermal host's use of thermal output	Btu/h

Check here ancontinue in the Miscellaneous section starting on page 19 if additional space is

12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 19.

Topping-Cycle Operating and Efficiency Value Calculation

Applicants for facilities representing topping-cycle technology must demonstrate compliance with the topping-cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) of the Commission's regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle cogeneration facilities: the useful thermal energy output must be no less than 5 percent of the total energy output. Section 292.205(a)(2) (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogeneration facilities for which installation commenced on or after March 13, 1980: the useful power output of the facility plus one-half the useful thermal energy output must (A) be no less than 42.5 percent of the total energy input of natural gas and oil to the facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy output of the facility, be no less than 45 percent of the total energy input of natural gas and oil to the facility. To demonstrate compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate that your facility is exempt from the efficiencystandard based on the date that installation commenced, respond to lines 13a through 13l below.

If you indicated in line 10a that your facility represents *both*topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 13a through 13l below considering only the energy inputs and outputs attributable to the topping-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion (topping or bottoming) of the cogeneration system.

13a Indicate the annual average rate of useful therm	al energy output made		
available to the host(s), net of any heat contained in o	condensate return or make-		Btu/h
13b Indicate the annual average rate of net electrical	l energy output		kW
13c Multiply line 13b by 3,412 to convert from kW to	Btu/h		
		0	Btu/h
13d Indicate the annual average rate of mechanical off of the shaft of a prime mover for purposes not dire			
production (this value is usually zero)	Th		hp
13e Multiply line 13d by 2,544 to convert from hp to	Btu/n	^	D
425 Indicate the annual overage rate of energy input	from notural gos and all	U	Btu/h
13f Indicate the annual average rate of energy input	nom natural gas and on		Dinto
13g Topping-cycle operating value = 100 * 13a / (13a	a + 13c + 13a)	·	Btu/h
Tog Topping-cycle operating value - 100 Toa7 (To	a / 100 (100)	0	%
13h Topping-cycle efficiency value = 100 * (0.5*13a	+ 13c + 13e) / 13f		
		0	%
13i Compliance with operating standard: Is the open	ating value shown in line 13	g greater than or equ	al to
5%? Yes (complies with operating standard)	☐ No (does not comply v standard)	vith operating	
13) Did installation of the facility in its current form co	mmence on or after March	13, 1980?	
Yes. Your facility is subject to the efficiency representation of the property			
No. Your facility is exempt from the efficiency	standard. Skip lines 13k ar	nd 13l.	
13k Compliance with efficiency standard (for low opeless than 15%, then indicate below whether the efficiency			
45%: Yes (complies with efficiency standard)	☐ No (does not comply v standard)	vith efficiency	
13I Compliance with efficiency standard (for high open is greater than or equal to 15%, then indicate below we than or equal to 42.5%:			
☐ Yes (complies with efficiency standard)	☐ No (does not comply v	vith efficiency	

Information Required for Bottoming-Cycle Cogeneration

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

	(c) a qua the	and (e) of the Commission's reg lifying bottoming-cycle cogener process(es) from which at leas s 14a and 14h helow Identify and describe each the	ect heat is then used for power production. Pursquiations (18 C.F.R. § 292.202(c) and (e)), the tleation facility must be useful. In connection with t some of the reject heat is used for power production and each bottoming-cycle cogeneration litiple bottoming-cycle cogeneration processes, put the production of the reject heat is used for power production. Thermal host is relationship to facility; Thermal host's process type	hermal energy output of a this requirement, describe action by responding to on process engaged in by		
	1)		Select thermal host's relationship to facility	Yes No		
Φ		`	Select thermal host's process type			
رَّح کر	2)		Select thermal host's relationship to facility	Yes No		
Ć			Select thermal host's process type			
ت تغ	3)		Select thermal host's relationship to facility	Yes No		
E E		Solution a sontinuo in the	Select thermal host's process type	dditional anges is		
Sa te	Check here ancontinue in the Miscellaneous section starting on page 19 if additional space is					
Usefulness of Bottoming-Cycle Thermal Output	14b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each process identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's process is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific bottoming-cycle process related to the instant facility, then you need only provide a brief description of that process and a reference by date and docket number to the order certifying your facility with the indicated process. Such exemption may not be used if any material changes to the process have been made.) If additional space is needed, continue in the Miscellaneous section starting on page 19.					

Bottoming-Cycle Operating and Efficiency Value Calculation

Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292.205(b) of the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard for bottoming-cycle cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below.

the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below.					
If you indicated in line 10a that your facility represents <i>both</i> topping-cycle and bott technology, then respond to lines 15a through 15h below considering only the enattributable to the bottoming-cycle portion of your facility. Your mass and heat ba clear which mass and energy flow values and system components are for which passed (topping or bottoming).	ergy inputs and outputs lance diagram must make				
15a Did installation of the facility in its current form commence on or after March	13, 1980?				
Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 29 compliance with the efficiency requirement by responding to lines 15b thro	92.205(b). Demonstrate ough 15h below.				
No. Your facility is exempt from the efficiency standard. Skip the rest of p	page 17.				
15b Indicate the annual average rate of net electrical energy output	kW				
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	0 Btu/h				
15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hn				
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	hp				
Hallaply line for by 2,5 fr to convert nothing to brain.	0 Btu/h				
15f Indicate the annual average rate of supplementary energy input from natural gas or oil	Btu/h				
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	0 %				
15h Compliance with efficiency standard: Indicate below whether the efficiency greater than or equal to 45%:	value shown in line 15g is				
Yes (complies with efficiency Standard) No (does not comply we standard)	vith efficiency				

Certificate of Completeness, Accuracy and

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below

Authority will be rejected by the Secretary of the Commission.
Signer identified below certifies the following: (check all items and applicable subitems)
He or she has read the filing, including any information contained in any attached documents, such as

×		eration mass and heat balance diagrams, and any information contained in the Miscellaneous section g on page 19, and knows its contents.
x	He or s	she has provided all of the required information for certification, and the provided information is true as to the best of his or her knowledge and belief.
x	He or : Comm (check	she possess full power and authority to sign the filing; as required by Rule 2005(a)(3) of the ission's Rules of Practice and Procedure (18 C.F.R. § 385.2005(a)(3)), he or she is one of the following: one)
		The person on whose behalf the filing is made
		An officer of the corporation, trust, association, or other organized group on behalf of which the filing is made
		An officer, agent, or employe of the governmental authority, agency, or instrumentality on behalf of which the filing is made
	x	A representative qualified to practice before the Commission under Rule 2101 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2101) and who possesses authority to sign

He or she has reviewed all automatic calculations and agrees with their results, unless otherwise noted in the Miscellaneous section starting on page 19. He or she has provided a copy of this Form 556 and all attachments to the utilities with which the facility will

interconnect and transact (see lines 4a through 4d), as well as to the regulatory authorities of the states in which the facility and those utilities reside. See the Required Notice to Public Utilities and State Regulatory Authorities section on page 3 for more information.

Provide your signature, address and signature date below. Rule 2005(c) of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2005(c)) provides that persons filing their documents electronically may use typed characters representing his or her name to sign the filed documents. A person filing this document electronically should sign (by typing his or her name) in the space provided below.

Date

П

Your address

Your Signature	Your address	Date			
Deborah A. Carpentier	1001 Pennsylvania Ave, NW Washington, DC 20004-2595	3/2/2015			
Audit Notes		,			
Commission Staff Use Only:					

FERC Form Page 19- All Facilities

Miscellaneou

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to.* You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the

Continued from Item 1L: On January 29, 2015, SunEdison, Inc. indirectly acquired 100% of the Applicant, changing the Applicant's upstream ownership, as reflected in Item 5b. Applicant also has changed the point of contact in Item 2.